

## 6 CH IP CONTROL BOARD



This IP control board has 6 ports for connecting and managing the 6 independent DVB boards (modulator, receiver, IP input or output boards, etc.). As a result you are able to make any device for digital TV broadcasting.

[DVB-S / DVB-S2 / DVB-T modulators](#), [DVB-S / S2 receivers](#), [IP-to-DVB TS and DVB TS-to-IP boards](#) together with [ASI input](#) and output boards can be managed via Ethernet interface and TCP / IP protocol using respective software.

6 ch IP control board can be used to build various digital broadcasting equipment.

Parameters	
Input interface	10/100 Base-T , Full/Half Duplex
Agreement with connected equipment	Auto-negotiation/manually
Input connector type	RJ-45
Supported protocol	TCP/IP
Number of plugins	1...6
Supply voltage	8...18 V
Consumed power, no more than	1W
Converter board dimensions	82x61 mm

*Taking into consideration that we (UMT LLC) are developer and system integrator, also do not stop on our technical growth and improvement, know that view of all our devices and equipment including their technical parameters may be different from pictures presented on website and parameters listed on each device webpage.*

**Note!** All details customer has to confirm in advance during ordering and before payment. Those parameters that were not specified and / or were not agreed while ordering will be implemented as basic at the discretion of the manufacturer. Each our customer has 1.5 year warranty and 7 year aftersales support for whole range of our products.